

통합정보시스템 주 전산장비외 통합유지보수 대상 리스트

기획조정처 전산개발운영팀
2026년 05월 08일

구분	설치 위치	제조사	대상장비	제품내역	수량	비고
이미지 저장장치	MDF실#R 04	NetApp	FAS3020(용량:21TB)	FAS3020 (DataONTAP 7.2.2) 500GB,7.2K RPM,UNV SATA Disk Drive SATA 500GB * 42EA (21TB) AT-FCX Module * 6EA Remote LAN Module,FAS30X0/CX300,-C,R5 SW-T3-CIFS	1	
	서버실#R 12-02		FAS3040(용량:21TB)	FAS3040 (DataONTAP 7.3.2) 1TB,7.2K RPM,UNV SATA Disk Drive SATA 500GB * 42EA (21TB) AT-FCX Module * 6EA Remote LAN Module,FAS30X0/CX300,-C,R5 SW-T3-CIFS	1	
경산 백업센터	영대 정보전산원	ORACLE	T5220(DB서버)	Oracle T5220 Server	1	
		NetApp	F3140(저장장치)	FAS3140 1TB, 7.2K RPM, UNV SATA Disk Drive SATA 1TB * 112EA (112TB) AT-FCX Module * 16EA Remote LAN Module, FAS31X0-C,R5 SW-CIFS, Snapmirror 복제	1	
EMR관련 이미지 저장장치	서버실#R 13-06 서버실#R 13-07	NetApp	FAS3240AE(EMR스토리지)	FAS3240AE (DataONTAP 8.0.2p) DS4243(DSK SHLF,24x1.0TB,7.2K,SATA,IOM3) SATA 1000GB * 24EA (24TB) IOM3 Module * 2EA SW(CIFS, SnapMirror)	1	
PACS 이미지 저장장치	서버실#R 12-05 서버실#R 12-06	NetApp	FAS3240AE(PACS스토리지)	FAS3240AE (DataONTAP 8.0.2p) DS4243(DSK SHLF,24x1.0TB,7.2K,SATA,IOM3) * 4Box SATA 1000GB * 96EA (96TB) IOM3 Module * 8EA SW(CIFS, SnapMirror)	1	
백업센터 저장장치	서버실#R 12-02	NetApp	FAS3240E(백업 저장장치) WORM(Write Once Read Many)	FAS3240E (OS: DataONTAP 8.x) 96TB 2TB 7200 RPM SATA Disk * 48Ea DS4243(Disk Shelf 24Ea Disk Slot) *2 IOM3 Module 4Ea SW Lincese (CIFS, SnapMirror, SnapLock Compliance (WORM))	1	
저장장치	서버실#R 14-13	Hitachi	VSP G200 (원가관리)	HDD : 600GB SAS 17EA	1	
	서버실#R 13-04	HP	P2000 G3 (인터넷디스크)	HDD: 600GB * 8Ea, 컨트롤러 2개, 캐시: 2GB, 8Gb FC Port 4Ea	1	
OCS DB 서버 및 저장장치	서버실#R 11-05 서버실#R 11-06	ORACLE	ORACLE T5-4 (OCS DB서버 2대)	SPARC T5-4 server: base with 2 SPARC T5 16-core 3.6 GHz Proc	2	
				One 16 GB DDR3-1066 registered DIMM	64	
				One 600 GB 10000 rpm 2.5-inch SAS-2 HDD with marlin bracket	4	
				Sun Dual 10GbE SFP+ PCIe Low Profile Adapter	2	
				Sun 10Gbps Dual Rate SFP+ SR	4	
				StorageTek 8 Gb Fibre Channel PCIe HBA dual port QLogic	4	
				Sun Dual Port GbE PCIe 2.0 Low Profile Adapter, MMF	4	
				Oracle Solaris Cluster, Enterprise Edition - Processor Perpetual	32	
				Primary Controller Chassis	1	
				Cache Memory Module (32GB)	2	
				Cache Flash Memory Module (64GB)	1	
				Fibre 16-Port Host Adapter(8Gbps)	2	
				Disk Adapter	1	
	SFF 300GB 15k RPM Disk Drive 2.5inch	100				
	SFF 300GB 15k RPM Disk Drive 2.5inch	2				
	SFF Drive Chassis	1				
	VSP Frame Rack - 42U for 3 Chassis	1				
	Device Interface Connecting Kit - BUC	1				
	Device Interface Connecting Kit - UUC	1				
VSP Basic Operating System 20TB Base Lic	1					
VSP BOS i-VSD Pair Base Lic	1					
VSP BOS 10TB Block lic (가상화 10TB 라이선스)	1					
SVC Hitachi VSP Implementation	1					
서버실#R 15-01,02	Brocade	SAN Switch	Brocade 6510 8/16 Gbps SAN Switch (24Port)	2		
통합정보시스템 서버 및 스토리지	서버실#R 02-10	HP	DL380 G10	CPU: Xeon G-5222 3.8GHz*2, Memory: 256GB, HDD: 300GB SAS*2, 600GB SAS*2, NIC: 10Gb 2Port*2, HBA: 16Gb 2Port*2	1	
	서버실#R 02-11	HP	DL380 G10	CPU: Xeon G-5222 3.8GHz*2, Memory: 256GB, HDD: 300GB SAS*2, 600GB SAS*2, NIC: 10Gb 2Port*2, HBA: 16Gb 2Port*2	1	
	서버실#R 02-05	HP	DL380 G10	CPU: Xeon G-5222 3.8GHz*2, Memory: 128GB, HDD: 300GB SAS*2, 600GB SAS*2, NIC: 10Gb 2Port*2, HBA: 16Gb 2Port*2	1	
	서버실#R 02-06	HP	DL360 G10	CPU: Xeon G-5222 3.8GHz*1, Memory: 128GB, HDD: 300GB SAS*2, 600GB SAS*2, HBA: 16Gb 2Port*1	1	
	서버실#R 02-07	HP	DL360 G10	CPU: Xeon G-5222 3.8GHz*1, Memory: 128GB, HDD: 300GB SAS*2, 600GB SAS*2	1	
	서버실#R 02-08	HP	DL360 G10	CPU: Xeon G-6234 3.3GHz*2, Memory: 64GB, HDD: 300GB SAS*2, 600GB SAS*4, NIC: 10Gb 2Port*1, HBA: 16Gb 2Port*1	1	
	서버실#R 02-13	Hitachi	VSP G700	CPU : SPACR64 X11 3.2GHz 6core Processor 1개(6core activation) Memory : 128GB HDD : 600GB SAS 10K SFF 4개 Network : 10Gb 4Port NIC 1개 HBA : 16Gb 2Port FC HBA 1개(16Gb SFP포함) OS: Oracle Solaris	1	

구분	설치 위치	제조사	대상장비	제품내역	수량	비고
통합정보시스템 개발업무용 DB서버	서버실#R 11-01	Fujitsu	M12-1	CPU: SPACR64 X11 3.2GHz 6core Processor 1개(6core activation) Memory: 128GB HDD: 600GB SAS 10K SFF 4개 Network: 10Gb 4Port NIC 1개 HBA : 16Gb 2Port FC HBA 1개(16Gb SFP포함) OS: Oracle Solaris	1	
Windows 및 Linux 서버류	서버실#R 16- 15, 16, 17	HP	DL380 G9	CPU : Xeon E5-2699 v4(2.2GHz) Memory : 256GB HDD : 300GB SAS HBA : 8Gb Dual Port Adptr 2EA, NIC : 10Gb 2P 560SFP+ Adaptr 2EA	3	
CDIS 및 원가 백업	서버실#R 16-18	NetApp	NetApp FAS2650A	FAS2650 HA System,Base Bundle	2	
				SAS 10k rpm 1.2TB HDD	24	
		Brocade	SAN Switch	SFP+ Optical 10Gb Shortwave	4	
				SFP+ FC Optical 16Gb	4	
PACS이미지 저장장치 증설	서버실#R 12-01 서버실#R 13-09	NetApp	DS4246(PACS스토리지)	BR-300 8Port 8Gbps, 8SFPs, Single Fixed Power Supply	2	
				DS4246 Disk Shelf	2	
				SATA 4TB, 7.2k rpm HDD	48	
				IOM6 Module	4	
				X2065A-R6(SAS 4Port Copper 3/6Gb QSFP PCIe Adapter)	2	
백업시스템	서버실#R 14-01	HP	DL360 G10 (백업서버)	CPU : Xeon S-4110, Memory : 32GB, HDD : 600GB 2EA, HBA : 16Gb 1Port 2EA, NIC: 1Gb UTP 4Port	1	
	서버실#R 16-19	NetApp	NetApp FAS2750A (백업스토리지)	FAS2750 HA System,Base Bundle	2	
				SAS 10k rpm 1.2TB HDD	24	
				SFP+ FC Optical 16Gb	4	
	Commvault	Simpana Backup(백업S/W)	SW Bundle License	1		
				Commvault complete Backup & Recovery for Physical servers (Technical Support Only)	5	
Windows 및 Linux 서버류	서버실#R 13-01	HP	DL380 G7	CPU: Xeon E5645 2.4GHz*2, Memory: 22GB, HDD: 300GB SAS*4	1	
	서버실#R 13-03	HP	DL380 G7	CPU: Xeon E5645 2.4GHz*2, Memory: 32GB, HDD: 300GB SAS*8	1	
	서버실#R 06-11	HP	DL360p G8	CPU: Xeon E5-2630 2.30GHz, Memory: 32GB, HDD: 300GB SAS*2	1	
	서버실#R 15-14	HP	DL360p G8	CPU: Xeon E5-2630 2.30GHz, Memory: 16GB, HDD: 300GB SAS*5	1	
	서버실#R 16-14	HP	DL360p G8	CPU: Xeon E5-2630 2.30GHz, Memory: 32GB, HDD: 300GB SAS*4, 600GB SAS*2	1	
	서버실#R 17-06	HP	DL380 G8	CPU: Xeon E5-2640 2.50GHz, Memory: 32GB, HDD: 300GB SAS*6, 600GB SAS*2	1	
	서버실#R 17-16	HP	DL320e Gen8	CPU: Xeon E3-1220 3.10GHz, Memory: 8GB, HDD: 500GB SATA*2	1	
	서버실#R 13-02	HP	DL380 G9	CPU: Xeon E5-2620V3 2.4GHz, Memory: 32GB, HDD: 600GB SAS*16	1	
	서버실#R 03-01	HP	DL360 G9	CPU: Xeon E5-2690V3 2.4GHz*2, Memory: 32GB, HDD: 300GB SAS*2, 600GB SAS	1	
	서버실#R 03-07	HP	DL360 G9	CPU: Xeon E5-2690V3 2.4GHz*2, Memory: 32GB, HDD: 300GB SAS*2	1	
	서버실#R 07-09	HP	DL360 G9	CPU: Xeon E5-2690V3 2.4GHz*2, Memory: 32GB, HDD: 300GB SAS*2, 600GB SAS	1	
	서버실#R 07-10	HP	DL360 G9	CPU: Xeon E5-2690V3 2.4GHz*2, Memory: 32GB, HDD: 300GB SAS*2, 600GB SAS	1	
	서버실#R 07-11	HP	DL360 G9	CPU: Xeon E5-2690V3 2.4GHz*2, Memory: 32GB, HDD: 300GB SAS*2	1	
	서버실#R 07-16	HP	DL360 G9	CPU: Xeon E5-2690V3 2.4GHz*2, Memory: 32GB, HDD: 300GB SAS*2	1	
	서버실#R 07-17	HP	DL360 G9	CPU: Xeon E5-2690V3 2.4GHz*2, Memory: 32GB, HDD: 300GB SAS*2	1	
	서버실#R 14-05	HP	DL360 G9	CPU: Xeon E5-2690V3 2.4GHz*2, Memory: 32GB, HDD: 300GB SAS*2	1	
	서버실#R 16-06	HP	DL360 G9	CPU: Xeon E5-2690V3 2.4GHz*2, Memory: 32GB, HDD: 300GB SAS*2	1	
	서버실#R 17-07	HP	DL360 G9	CPU: Xeon E5-2690V3 2.4GHz*2, Memory: 32GB, HDD: 300GB SAS*2, 600GB SAS	1	
	서버실#R 07-04	HP	DL380 G9	CPU: Xeon E5-2630V3 2.4GHz, Memory: 32GB, HDD: 600GB SAS*2	1	
	서버실#R 07-14	Lenovo	x3250 M6	CPU: Xeon E3-1230 v5(3.4GHz), Memory: 8GB, HDD: 1TB SAS*2	1	
	서버실#R 14-15	DELL	PowerEdge R730	CPU: Xeon E5-2637 v4(3.5GHz), Memory: 64GB, HDD: 600GB SAS*6	1	
	서버실#R 06-15	HP	DL360 G9	CPU: Xeon E5-2620V3(2.4GHz), Memory: 32GB, HDD: 300GB SAS*2	1	
	MDF실#R 06-08	HP	ML350p G8	CPU : Xeon E5-2609 v2(2.50GHz), Memory: 32GB, HDD: 1TB 2EA, 8TB 4EA	1	
	서버실#R 03-13	HP	DL360 G10	CPU: Xeon S-4110 2.1GHz*2, Memory: 32GB, HDD: 600GB SAS*2	1	
	서버실#R 07-05	HP	DL360 G10	CPU: Xeon S-4110 2.1GHz*2, Memory: 32GB, HDD: 600GB SAS*2	1	
	서버실#R 07-06	HP	DL360 G10	CPU: Xeon S-4110 2.1GHz*2, Memory: 32GB, HDD: 600GB SAS*2	1	
	서버실#R 07-12	HP	DL360 G10	CPU: Xeon S-4110 2.1GHz*2, Memory: 32GB, HDD: 600GB SAS*2	1	
	서버실#R 07-13	HP	DL360 G10	CPU: Xeon S-4110 2.1GHz*2, Memory: 32GB, HDD: 600GB SAS*2	1	
	서버실#R 07-15	HP	DL360 G10	CPU: Xeon S-4110 2.1GHz*2, Memory: 32GB, HDD: 600GB SAS*2	1	
	서버실#R 07-18	HP	DL360 G10	CPU: Xeon S-4110 2.1GHz*2, Memory: 32GB, HDD: 600GB SAS*2	1	
	서버실#R 16-11	HP	DL360 G10	CPU: Xeon S-4110 2.1GHz*2, Memory: 32GB, HDD: 600GB SAS*2	1	
	서버실#R 02-03	HP	DL360 G10	CPU: Xeon Silver 4210 2.4GHz*2, Memory: 128GB, HDD: 600GB SAS*4	1	
	서버실#R 02-04	HP	DL360 G10	CPU: Xeon Silver 4210 2.4GHz*2, Memory: 128GB, HDD: 600GB SAS*4	1	
	서버실#R 03-04	HP	DL360 G10	CPU: Xeon Silver 4210 2.4GHz*2, Memory: 128GB, HDD: 600GB SAS*4	1	
	서버실#R 03-05	HP	DL360 G10	CPU: Xeon Silver 4210 2.4GHz*2, Memory: 128GB, HDD: 600GB SAS*4	1	
	서버실#R 03-06	HP	DL360 G10	CPU: Xeon Silver 4210 2.4GHz*2, Memory: 32GB, HDD: 600GB SAS*3	1	
	서버실#R 03-09	HP	DL360 G10	CPU: Xeon Silver 4210 2.4GHz*2, Memory: 32GB, HDD: 600GB SAS*3	1	
	서버실#R 03-10	HP	DL360 G10	CPU: Xeon Silver 4210 2.4GHz*2, Memory: 32GB, HDD: 600GB SAS*3	1	
	서버실#R 03-11	HP	DL360 G10	CPU: Xeon Silver 4210 2.4GHz*2, Memory: 32GB, HDD: 600GB SAS*3	1	
	서버실#R 06-07	HP	DL360 G10	CPU: Xeon Silver 4210 2.4GHz*2, Memory: 32GB, HDD: 600GB SAS*3	1	
	서버실#R 16-04	HP	DL360 G10	CPU: Xeon Silver 4210 2.4GHz*2, Memory: 32GB, HDD: 600GB SAS*3	1	
	서버실#R 16-07	HP	DL360 G10	CPU: Xeon Silver 4215 3.2GHz*2, Memory: 32GB, HDD: 480GB SSD*4	1	
서버실#R 16-13	HP	DL360 G10	CPU: Xeon Silver 4215 3.2GHz*2, Memory: 32GB, HDD: 480GB SSD*4	1		
서버실#R 06-03	HP	ProLiant DL360 G10	CPU: Xeon Silver 4110 2.1GHz, Memory : 16GB, HDD : 1TB	1		
서버실#R 17-09	HP	DL360 G10	CPU: Xeon Silver 4215 3.2GHz*2, Memory: 32GB, HDD: 600GB SAS*2	1		
서버실#R 06-14	HP	DL360 G10	CPU: Xeon Silver 4215 3.2GHz*2, Memory: 32GB, HDD: 480GB SSD*2	1		
서버실#R 17-08	HP	DL360 G10	CPU: Xeon Silver 4215 3.2GHz*2, Memory: 32GB, HDD: 480GB SSD*2	1		
7개월분, 27.2-8	서버실#R 06-04	HP	DL360 G10	CPU : Xeon Silver 4215R 3.2GHz*2, Memory : 32GB, SSD : 480GB*2, HDD : 1.2TB*6	1	
6개월분, 27.3-8	서버실#R 02-2-16	HP	DL360 G10	CPU : Xeon Silver 4215R 3.2GHz*2, Memory : 32GB, SSD : 480GB*2	1	
6개월분, 27.3-8	서버실#R 02-2-12	HP	DL360 G10	CPU : Xeon Silver 4215R 3.2GHz*2, Memory : 32GB, SSD : 480GB*2	1	
6개월분, 27.3-8	서버실#R 05-08	HP	DL360 G10	CPU : Xeon Silver 4215R 3.2GHz*2, Memory : 32GB, SSD : 480GB*2	1	
6개월분, 27.3-8	서버실#R 02-2-14	HP	DL360 G10	CPU : Xeon Silver 4215R 3.2GHz*2, Memory : 32GB, SSD : 480GB*2	1	신규
6개월분, 27.3-8	서버실#R 05-07	HP	DL360 G10	CPU : Xeon Silver 4215R 3.2GHz*2, Memory : 32GB, SSD : 480GB*2	1	
6개월분, 27.3-8	서버실#R 02-2-17	DeII	PowerEdge R450	CPU : Xeon Silver 4309Y 2.8GHz, MEMORY : 64GB, HDD : 2TB*2	1	
4개월분, 27.5-8	서버실#R 02-2-06	HP	DL360 G10	CPU : Xeon Silver 4215R 3.2GHz*2, Memory : 32GB, SSD : 480GB*2	1	
4개월분, 27.5-8	서버실#R 07-08	HP	DL360 G10	CPU : Xeon Silver 4215R 3.2GHz*2, Memory : 32GB, SSD : 480GB*2	1	
MDM 서버	서버실#R 14-04	HP	DL360 G10	CPU: Xeon S-4208 2.1GHz*2, Memory: 32GB, HDD: 600GB SAS*2	1	

구분	설치 위치	제조사	대상장비	제품내역	수량	비고
통합정보시스템 운영 DB 스토리지	서버실#R 08-01-03	Fujitsu	VSP 5100	Controller Active/Active CPU : 컨트롤러당 20Core Cache : 1TB SSD : 3.8TB * 30EA Interface : 16Gb FC 4Port*4EA Brocade_G620-24_SAN_Switch * 2대	1	
통합정보시스템 운영 DB 서버	서버실#R 05-01 서버실#R 05-02	Fujitsu	M12-2S	CPU : SPARC64 X11 4.25GHz 12core Processor 1개(8core activation) Memory : 512GB HDD : 600GB SAS 10K SFF 4개 Network : 10Gb 2Port FC NIC 2개 HBA : 16Gb 2Port FC HBA 2개 OS: Oracle Solaris InterConnect Switch(OS6860-24)	2	
PACS이미지 저장장 치	서버실#R 02-2	NetApp	FAS8300A(PACS스토리지)	FAS8300 HA System,Ethernet Bundle * 2ea Disk Shelf DS460C * 1ea (HDD 4TB * 60ea) CPU : 컨트롤러당 20Core Cache : 256GB Flash Cache : 2TB Interface : 10Gb FC 8Port NFS, CIFS, iSCSI, FCP License	1	
망분리 시스템	서버실#R 05-4,5	브이앤솔루션	망분리 S/W	VMFort V6.1, 망분리솔루션(PC Client & Service) - 100User VMFort V6.1, 망분리관리서버 - 2식 VMFort V6.1, 보안게이트웨이 - 2식	1	
	서버실#R 05-6	평킨네트웍스	서버이중화 L4스위치	AEN 8024, 24port - 1000Base-T : 8 Port - 10/100/1000Base-T or 1000Base-X(Combo) : 16 Port - 전원이중화 & Hot Swap - Mem: 4GB - Throughput : 4Gbps	1	신규